In the Claims:

A complete listing of the claims is set forth below.

Claims 1-12 cancelled.

13. (Currently amended) A network address register for use in a telephone switching network to route messages, comprising:

a database comprising subscriber-specific data and network item addresses; and

a network address register that receives from a first network item a network message, determines a network item address for the network message as a function of the subscriber-specific data in the message using the database, and transmits the network message to a network address of a second network item, wherein the network address register transmits the network address of the second network item to the first network item and establishes a traffic channel with the second network item, wherein the first network item comprises a mobile services switching center, the second network item comprises a voice mail service center, and the subscriber-specific data comprises an mobile station ISDN number, wherein the traffic channel comprises a voice channel to a voice mailbox, and wherein the network address register receives the mobile station ISDN number from the voice mail service center and determines a network address of the second network item home location register as a function of the mobile station ISDN number, wherein the second network item comprises a home location register.

- 14. (Previously presented) The network address register of claim 13, wherein the network address register is capable of being used in a Global System for Mobile Communications network.
- 15. (Previously presented) The network address register of claim 14, wherein the subscriber-specific data further comprises one or more elements selected from the group

consisting of: international mobile subscriber identity, and international mobile equipment identity.

- 16. (Currently amended) The network address register of claim 14, wherein the second network item further comprises one or more elements selected from the group consisting of: home location register, an authentication center, equipment identity register, and service control point.
- 17. (Previously presented) The network address register of claims 14, wherein the network address register returns routing information to a network item that sent the network message.
- 18. (Previously presented) The network address register of claim 14, wherein the database comprises an association between the subscriber-specific data and network item addresses such that the network item addresses are independent of block numbering ranges.
- 19. (Previously presented) The network address register of claim 18, wherein the association between the subscriber-specific data and network item addresses is configurable.
- 20. (Currently amended) A method of routing messages in a Global System for Mobile Communications switching network, comprising:

receiving a network message having subscriber-specific data at a network address register from a first network item;

determining at the network address register a network address of a second network item as a function of the subscriber-specific data, wherein the second network item replies directly to the first network item; and

transmitting the network message to the network address of a second network item, and further comprising:

transmitting the network address of the second network item to the first network item; establishing a traffic channel with the second network item, wherein the first network item comprises a mobile services switching center, the second network item comprises a

voice mail service center, and the subscriber-specific data comprises an mobile station ISDN number, wherein the traffic channel comprises a voice channel to a voice mailbox;

transmitting the mobile station ISDN number from the voice mail service center to the network address register; and

determining in the network address register a network address of the second network item home location register as a function of the mobile station ISDN number, wherein the second network item comprises a home location register.

- 21. Cancelled.
- 22. (Currently amended) The method of claim 20, wherein the first network item comprises a mobile services switching center, the second network item comprises a home location register, and the subscriber-specific data comprises an international mobile subscriber identity.
- 23. (Previously presented) The method of claim 22, wherein the subscriber-specific data further comprises a mobile station ISDN number.
 - 24-27 Cancelled.
- 28. (Previously presented) The method of claim 20, further comprising:

 transmitting an international mobile equipment identity of a portable radio

 device from the mobile services switching center to the network address register; and

 determining in the network address register the address of the service control

 point as a function of the international mobile equipment identity.
- 29. (Previously presented) The method of claim 28, further comprising:
 receiving an international mobile subscriber identity from the mobile services
 switching center at the network address register;

determining in the network address register the address of the authentication center as a function of the international mobile subscriber identity; and

providing authentication of the international mobile subscriber identity to the mobile services switching center.